



PATENT
Docket No.: 10517/189

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT : Kenichi KINOSE
SERIAL NO. : 10/692,790
FILED : 27 October 2003
FOR : KNOCK CONTROL APPARATUS AND KNOCK CONTROL
METHOD FOR INTERNAL COMBUSTION ENGINE
PATENT NO. : 6,877,482 B2 Issued 12 April 2005

U.S. Patent and Trademark Office
Customer Service Window
Randolph Bldg.
401 Dulany Street
Alexandria, VA 22314

Certificate
OCT 26 2005
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 C.F.R. § 1.323

SIR:

It is respectfully requested that the enclosed certificate of correction be issued for the above Patent under authority of 35 USC §355.

The change represents correction of the assignee's city of residence, which was incorrectly typed on the issue fee transmittal form as "Aichi-Ken" instead of --Toyota-shi--.

The assignment recorded at the Patent and Trademark Office at Reel 014642, Frame 0249 indicates that the applicant is located in Toyota-shi, Japan.

If a petition under 37 CFR 1.183 is required, please consider this such a petition and charge Deposit Account No. 11-0600 in the amount of \$130.00 to cover the petition fee.

Please also charge Deposit Account No. 11-0600 in the amount of \$100.00 to cover the fee under 37 C.F.R. 1.20(a). A copy of this sheet is enclosed for that purpose.

Respectfully submitted,

David J. Zibelli
David J. Zibelli
(Reg. No. 43,572)

Dated: 19 October 2005

KENYON & KENYON
1500 K Street, N.W., Suite 700
Washington, D.C. 20005
(202) 220-4200

10/21/2005 BABRAHAI 00000103 110600 6877482
01 FC:1811 100.00 DA
02 FC:1462 400.00 DA

Adjustment date: 07/06/2006 SFELEKE1
10/21/2005 BABRAHAI 00000103 110600 6877482
02 FC:1462 400.00 CR

07/06/2006 SFELEKE1 00000005 110600 6877482
01 FC:1464 130.00 DA

OCT. 28 2005

Kenyon & Kenyon
One Broadway
New York, NY 10004

PAID
DIVISION
2006 MAY -9 PM 3:51
US PATENT & TRADEMARK
OFFICE

December 1, 2005

Mail Stop 16
Director of the US Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

To Whom It May Concern,

I have been assigned to reconcile the USPTO's Deposit Account against Kenyon and Kenyon's records. Below are charges that are inconsistent with what we believe is true. I would respectfully ask that you reimburse Kenyon and Kenyon's Deposit Account 110600 for these fees listed below. If there is any other information you need, please feel free to contact me at Jduffy@kenyon.com.

21-Oct	165	6877482	10517/189	1482	\$400.00	Fee should be \$130.00...not \$400.00
--------	-----	---------	-----------	------	----------	---------------------------------------

Thank You,

Judy Duffy

Page 2